

INTERCHANGEABLE OILFIELD PRODUCTS



HIGH PRESSURE SWIVEL JOINTS AND HOSE LOOPS
3/4" – 4" Sizes in eight different styles - 1,000 psi to 6,000 psi.



WING UNIONS

Fig. 100, 200, 400, 602, 1002, and 1502

Available in sizes 1" thru 6".

Line pipe threads and Butt Weld ends.



Swivel Joints

QUINCIE OILFIELD PRODUCTS
HIGH PRESSURE PERFORMANCE

4614 - 90A AVENUE, EDMONTON, AB T6B 2P9
PH 780-490-1772 • FAX 780-490-1773

INTERCHANGEABLE (or) ADVANCED TECHNOLOGY

BEST HAS BOTH



HIGH PRESSURE SWIVEL JOINTS

Dual Race Design : 3/4" thru 4" 6,000 psi, with Line Pipe Thd.

HIGH PRESSURE HOSE LOOPS

Dual Race Design : 1" thru 4" 6,000 psi line.

EXTRA HIGH PRESSURE SWIVEL JOINTS for STANDARD & H2S SERVICE

Tri Race Design : 2" & 3" 10,000 psi & 15,000 psi with Line Pipe Thd. or 1502 Union Ends.

Journal Bearing Design : 2" & 3" 10,000 psi & 15,000 psi, with 1502 Union Ends.

Wing Seal (metal to metal design) 2" & 3" 15,000 psi & 20,000 psi, with Union Ends.

EXTRA HIGH PRESSURE HOSE LOOPS for STANDARD & H2S SERVICE

Tri Race Design : 2" & 3" 10,000 & 15,000 psi,

Journal Bearing Design : 2" & 3" 10,000 & 15,000 psi

Both are available in 1502 Integral Design or 1502 Non-Pressure Seal Design.

PUP JOINTS (straight joints)

Integral Union End Design.


Non-Pressure Seal Design.

Line Pipe Thread Design.

INTEGRAL LONG RADIUS ELBOWS

2" & 3" 1502 Union Ends 15,000 psi.

(Also available for H2S in 10,000 psi)



BEST Swivel Joints • 9298 Baythorne Drive • Houston Texas 77041

(713) 690-4511 • Fax (713) 690-4613