



# INTERCHANGEABLE OILFIELD PRODUCTS



**HIGH PRESSURE SWIVEL JOINTS AND HOSE LOOPS**  
3/4" – 4" Sizes in eight different styles - 1,000 psi to 6,000 psi.



## WING UNIONS

Fig. 100, 200, 400, 602, 1002, and 1502

Available in sizes 1" thru 6".

Line pipe threads and Butt Weld ends.



Swivel Joints

**QUINCIE** OILFIELD PRODUCTS  
**HIGH PRESSURE PERFORMANCE**

4614 - 90A AVENUE, EDMONTON, AB T6B 2P9  
PH 780-490-1772 • FAX 780-490-1773

# INTERCHANGEABLE (or) ADVANCED TECHNOLOGY

\*\*\*BEST HAS BOTH\*\*\*



## HIGH PRESSURE SWIVEL JOINTS

Dual Race Design : 3/4" thru 4" 6,000 psi, with Line Pipe Thd.

## HIGH PRESSURE HOSE LOOPS

Dual Race Design : 1" thru 4" 6,000 psi line.

## EXTRA HIGH PRESSURE SWIVEL JOINTS for STANDARD & H2S SERVICE

Tri Race Design : 2" & 3" 10,000 psi & 15,000 psi with Line Pipe Thd. or 1502 Union Ends.

Journal Bearing Design : 2" & 3" 10,000 psi & 15,000 psi, with 1502 Union Ends.

Wing Seal (metal to metal design) 2" & 3" 15,000 psi & 20,000 psi, with Union Ends.

## EXTRA HIGH PRESSURE HOSE LOOPS for STANDARD & H2S SERVICE

Tri Race Design : 2" & 3" 10,000 & 15,000 psi,

Journal Bearing Design : 2" & 3" 10,000 & 15,000 psi

Both are available in 1502 Integral Design or 1502 Non-Pressure Seal Design.

## PUP JOINTS (straight joints)

Integral Union End Design.

Non-Pressure Seal Design.

Line Pipe Thread Design.

## INTEGRAL LONG RADIUS ELBOWS

2" & 3" 1502 Union Ends 15,000 psi.

(Also available for H2S in 10,000 psi)



BEST Swivel Joints • 9298 Baythorne Drive • Houston Texas 77041

(713) 690-4511 • Fax (713) 690-4613